Hanson RW Jr. *See* Allen RE
Hart LG. *See* Dobie SA
Hartz A. *See* Graber MA
Hatch RL, Shah S. Warthin Tumor: A Common, Benign Tumor Presenting as a Highly Suspicious Mass, 18(4):320–322
Hemphill B. *See* Goldstein AO
Hickner J. *See* Phillips TG
Hien N, Le K, Le C, Nguyen H. Concurrent Ruptured Ectopic Pregnancy and Appendicitis, 18(1):63
Hirschfeld RMA, Cass AR, Holt DCL, Carlson CA. Screening for Bipolar Disorder in Patients Treated for Depression in a Family Medicine Clinic, 18(4):233–239
Holman JR. *See* Partridge CA
Holt DCL. *See* Hirschfeld RMA
Hong M-H. *See* Kim JA
Howell K. *See* Oster NV
Hungin P. *See* Liker H

Ireland J. A Look Back at the First Year of the New Maintenance of Certification Program for Family Physicians, 18(4):329–332
Innes KE, Bourguignon C, Taylor AG. Risk Indices Associated with the Insulin Resistance Syndrome, Cardiovascular Disease, and Possible Protection with Yoga: A Systematic Review, 18(6):491–519

Jacobson N. *See* Neale AV
James P. *See* Graber MA
Johnson MO. *See* Goldstein RB

Kallail KJ. *See* Walling AD
Kaye NS. Is Your Depressed Patient Bipolar?, 18(4):271–281
Kelly JA. *See* Goldstein RB
Kim JA, Park Y-G, Cho K-H, Hong M-H, Han H-C, Choi Y-S, Yoon D. Heart Rate Variability and Obesity Indices: Emphasis on the Response to Noise and Standing, 18(2): 97–103
Kirlin BA. *See* Dobie SA
Kirshenbaum SB. *See* Goldstein RB
Kirshner HS, Biller J, Callahab AS III. Long-Term Therapy to Prevent Stroke, 18(6):528–540
Kittel L. *See* Goldstein RB

Lanier D. Commentary: Lost in Translation: The Value of Qualitative Data, 18(5):409–410
Lawhorne L, VandeKieft G, Fleck LM. A Daughter's Duty, 57
Le C. *See* Hien N; Nguyen H
Le K. *See* Hien N
Lee S. *See* Gonzalez J
Leonard KE. *See* Griswold KS
Leong SL, Gingrich D, Lewis PR, Mauger DT, George JH. Enhancing Doctor-Patient Communication Using E-Mail: A Pilot Study, 18(3): 180–188
Lesnewski R. *See* Prine LW
Lewis PR. *See* Leong SL
Lewis-Fernández R, Das AK, Alfonso C, Weissman MM, Olfson M. Depression in US Hispanics: Diagnostic and Management Considerations in Family Practice, 18(4):282–296
Lightfoot M. *See* Goldstein RB
Liker H, Hungin P, Wiklund I. Managing Gastroesophageal Reflux Disease in Primary Care: The Patient Perspective, 18(5):393–400
Lorenzo CV, Robertson WS. Genital Ulcerations As Presenting Symptom of Infectious Mononucleosis, 18(1): 67–68

Madlon-Kay DJ. *See* Ricke LA
Madlon-Kay DJ, DeFor TA. Maternal Postpartum Health Care Utilization and the Effect of Minnesota Early Discharge Legislation, 18(4): 307–311
Mahoney MC. *See* Eberi MM
Majid N. *See* Allen-Ramey F
Mallinger JB. *See* Shields CG
Maples DC Jr. *See* Christensen RE
Markson LE. *See* Allen-Ramey F
Mauger DT. *See* Leong SL
McCann R. *See* Shields CG
McCormick K. *See* Shields CG
McIlvain HE. *See* Backer EL
McKee D. *See* Cohrssen A
McPhillips-Tangum CA. *See* Oster NV
Meador HE, Zazove P. Health Care Interactions with Deaf Culture, 18(3):218–222
Merk HF. *See* Erdmann SM
Merrill A. *See* Cohrssen A
Mickalian JD. *See* Goldstein RB
Minier WC. *See* Backer EL
Molgaard C. *See* Walling AD
Monnot M, Brosey M, Ross E. Screening for Dementia: Family Caregiver Questionnaires Reliably Predict Dementia, 18(4):240–256
Moore TK. *See* Goldstein AO
Mulvehill S, Schneider G, Cullen CM, Roaten S, Foster B, Porter A. Template-Guided vs Undirected Written Medical Documentation: A Prospective, Randomized Trial in a Family Medicine Residency Clinic, 18(6):464–469
Murray D. *See* Dresang LT

Nasir LS, Al-Qutob R. Barriers to the Diagnosis and Treatment of Depression in Jordan: A Nationwide Qualitative Study, 18(2):125–131
National Institute Mental Health Healthy Living Team. *See* Goldstein RB
Neale AV, Schwartz KL, Bowman MA. Editorial: Conflict of Interest: Can We Minimize Its Influence in the Biomedical Literature?, 18(5): 411–413
Neale AV. *See* Xu J
Neale AV, Jacobson N. Editorial: Users' Guide to the *JABFP* Online Manuscript Management System, 18(1):72–73
Nguyen H. *See* Hien N
Nguyen H, Ferentz K, Patel A, Le C. Churg-Strauss Syndrome Associated with HIV Infection, 18(2):140–142
Nicolaidis C, Curry MA, Gerrity M. Health Care Workers' Expectations and Empathy toward Patients in Abusive Relationships, 18(3):159–165
Noël PH. *See* Gonzalez J
Norris TE. *See* Chen FM
Norris TE, Rovinelli RJ, Puffer JC, Rinaldo J, Price DW. From Specialty-Based to Practice-Based: A New Blueprint for the American Board of Family Medicine Cognitive Examination, 18(6):546–554
Northrup J. *See* Xu J
Norwalk MP, Zimmerman RK, Cleary SM, Bruehlman RD. Missed Opportunities to Vaccinate Older Adults in Primary Care, 18(1):20–27
Nugent A. *See* Graber MA
Nuovo J. *See* Eidson-Ton WS
Nusbaum MR, Braxton L, Strayhorn G. Sexual Concerns of African American, Asian American, and White Women Seeking Routine Gynecological Care, 18(3):173–179

Oh R. Practical Applications of Fish Oil (Ω-3 Fatty Acids) in Primary Care, 18(1):28–36
Olfson M. *See* Lewis-Fernández R
Oster NV, McPhillips-Tangum CA, Averhoff F, Howell K. Barriers to Adolescent Immunization: A Survey of Family Physicians and Pediatricians, 18(1):13–19

Pajaro RE. *See* Vijaysadan V
Park Y-G. *See* Kim JA
Partridge CA, Holman JR. Effects of a Reduced Visit Prenatal Care Clinical Practice Guideline, 18(6):555–560
Pastore PA. *See* Griswold KS
Patel A. *See* Nguyen H
Pequegnat W. *See* Goldstein RB
Petersen NJ. *See* Eason SL
Peterson K, Staton EW, Calmbach WL. AAFP Convocation of Practices and Network: Report from the 2005 Annual Meeting, 18(4):323–325
Phillips TG, Hickner J. Calling Acute Bronchitis a Chest Cold May Improve Patient Satisfaction with Appropriate Antibiotic Use, 18(6):459–463
Pinto RM. *See* Goldstein RB
Pogach L. *See* Safford MM
Porter A. *See* Mulvehill S
Press Y. *See* Volkov I
Prest LA. *See* Robinson WD
Price DW. *See* Norris TE
Prine LW, Lesnewski R. Medication Abortion and Family Physicians' Scope of Practice, 18(4):304–306
Puffer JC. *See* Norris TE

Ricke LA, Baker NJ, Madlon-Kay DJ, DeFor TA. Newborn Tongue-tie: Prevalence and Effect on Breast-Feeding, 18(1):1–7, 18(4):326–327
Rinaldo J. *See* Norris TE
Roaten S. *See* Mulvehill S
Robertson WS. *See* Lorenzo CV
Robinson WD, Geske JA, Prest LA, Barnacle R. Depression Treatment in Primary Care, 18(2):79–86
Roman S. *See* Safford MM
Ross E. *See* Monnot M
Rotheram-Borus MJ. *See* Goldstein RB
Rouse ME. *See* Aikens JE
Rovinelli RJ. *See* Norris TE
Rudoy I. *See* Volkov I
Runkle GP. *See* Seehusen DA
Russell L. *See* Safford MM

Safford MM, Russell L, Suh D-C, Roman S, Pogach L. How Much Time Do Patients with Diabetes Spend on Self-Care?, 18(4):262–270
Sait SNJ. *See* Eberi MM
Schneider G. *See* Mulvehill S
Schoenwetter WF. *See* Allen-Ramey F
Schrager S. Dietary Calcium Intake and Obesity, 18(3):205–210
Schroeder A. *See* Erdmann SM
Schwartz KL. *See* Xu J
Seehusen DA, Baldwin L-M, Runkle GP, Clark G. Are Family Physicians Appropriately Screening for Postpartum Depression?, 18(2):104–112
Seifert CM. *See* Green LA
Servoss TJ. *See* Griswold KS
Shah S. *See* Hatch RL
Shah Shiwan K. *See* Shah Shinil K
Shah Shinil K, Shah Shiwan K, Greatrex KV. Current Role of MRI in Breast Imaging: A Primer for the Primary Care Physician, 18(6):478–490
Shallue A. *See* Dresang LT
Shields CG, Epstein RM, Fiscella K, Franks P, McCann R, McCormick K, Mallinger JB. Influence of Accompanied Encounters on Patient-Centeredness with Older Patients, 18(5):344–354
Smith LH. *See* Eidson-Ton WS
Smith SJ. *See* Griswold KS
Solberg LI, Trangle MA, Wineman AP. Follow-Up and Follow-Through of Depressed Patients in Primary Care: The Critical Missing Components of Quality Care, 18(6):520–527
Solis B. *See* Eidson-Ton WS
Starfield B. *See* Abramson J
Steiner B. *See* Goldstein AO
Stephan M. *See* Griswold KS
Stovitz SD, VanWormer JJ, Center BA, Bremer KL. Pedometers As a Means to Increase Ambulatory Activity for Patients Seen at a Family Medicine Clinic, 18(5):335–343
Strayhorn G *See* Nusbaum MR
Suarez-Almazor M. *See* Eason SL
Suh D-C. *See* Safford MM
Sullivan-Vedder L. *See* Dresang LT
Sunga AY. *See* Eberl MM

Taylor AG. *See* Innes KE
Thomason C. *See* Tomlinson T
Thrist M. *See* Griswold KS
Tomlinson T, Brody H, Fleck LM, Andre J, Thomason C, Bogdan-Lovis E. Ethical Issues in Family Medicine, 18(1):69
Trangle MA. *See* Solberg LI

VandeKieft G. *See* Lawhorne L
VanWormer JJ. *See* Stovitz SD
Vijaysadan V, Zimmerman AM, Pajaro RE. Paget-Schroetter Syndrome in the Young and Active, 18(4):314–319
Volkov I, Rudoy I, Press Y. Successful Treatment of Chronic Erythema Nodosum with Vitamin B12, 18(6):567–569
Vorhees VJ. Bovine Smoking Cessation Therapy: No Bull!, 18(1):70–71

Wagner C. *See* Griswold KS
Walling AD, Woolley DC, Molgaard C, Kallail KJ. Patient Satisfaction with Migraine Management by Family Physicians, 18(6):563–566
Weinhardt LS. *See* Goldstein RB
Weiss TW. *See* Allen-Ramey F
Weissman MM. *See* Lewis-Fernández R
Westerman D. *See* Allen-Ramey F
Wiklund I. *See* Liker H
Williams JW Jr. *See* Gonzalez J
Wilson C. *See* Curtis J
Wineman AP. *See* Solberg LI
Woolley DC. *See* Walling AD

Xakellis GC. Predictors of Influenza Immunization in Persons over Age 65, 18(5):426–433
Xu J, Bartoces M, Neale AV, Dailey RK, Northrup J, Schwartz KL. Natural History of Menopause Symptoms in Primary Care Patients: A MetroNet Study, 18(5):374–382
Xu Z. *See* Haney S

Yoon D. *See* Kim JA
Young R, Boltri J. How Do Family Physicians Provide Anticipatory Guidance during Well-Child Visits?, 18(5):440–444

Zazove P. *See* Meador HE
Zimmerman AM. *See* Vijaysadan V
Zimmerman RK. *See* Norwalk MP

Subject Index to Volume 18, 2005

AAFP Convocation of Practices and Network, report on, 18(4):323–325
Abdominal ice, in breech pregnancy, 18(4):312–313
Abortion, by medication, family physician scope of practice and, 18(4):304–306
Abusive relationships, heath care workers' expectations and empathy toward patients in, 18(3):159–165
Adolescents, immunization of, barriers to, 18(1):13–19
Allergens, sensitization to, in adults with asthma, 18(5):434–439
Alternative medicine. *See* Complementary and alternative medicine
American Board of Family Medicine (ABFM) certification, cognitive examinations, 18(6): 546–554
Ambulatory activity, of patients, pedometers and, 18(5):335–343
Anaphylaxis, glucocorticoid-induced, 18(2):143–146
Antibiotics, patient satisfaction with not receiving, labeling of bronchitis as chest cold effect on, 18(6):459–463
Anticipatory guidance, in well-child visits, 18(5):440–444
Antidepressant medications, patient nonadherence in, 18(2):87–96
Antiplatelet therapies, stroke prevention, 18(6):528–540
Appendicitis, ruptured ectopic pregnancy concurrent with, 18(1):63–66
Asthma, allergen sensitization in adults with, 18(5):434–439

Back pain, failed policies and outcome of, 18(2):151–152
Biomedical research, conflict of interest effect on, 18(5):414–418
Bipolar disorder, screening for, in depression, 18(4):233–239, 18(4):271–281
Blood clotting disorders, excess factor VIII and, 18(4):328
Bovine smoking cessation therapy, 18(1):70–71
Breast cancer, family history of, 18(3):212–213
Breast imaging, role of MRI in, 18(6):478–490
Breast-feeding, newborn tongue-tie effect on, 18(1):1–7, 18(4):326–327
Bronchitis, labeling as chest cold, effect on patient satisfaction with not receiving antibiotics, 18(6):459–463

Calcium, dietary intake of, obesity and, 18(3):205–210
Cancer, family history of, patient identification and management in, 18(3):211–217
Cardiovascular disease, risk indices associated with, 18(6):491–519
Caregiver questionnaires, in dementia screening, 18(4):240–256
Chest cold, labeling of bronchitis as, effect on patient satisfaction with not receiving antibiotics, 18(6):459–463
Childbirth
depression after, screening for, 18(2):104–112
vaginal, episiotomy in, 18(1):8–12
Children, well-child visits, anticipatory guidance in, 18(5):440–444
Churg-Strauss syndrome, HIV infection-associated, 18(2):140–142
Clinical practice
translating research into, 18(6):541–545
whiff test reliability in, 18(6):561–562
Clinical practice guidelines
conflict of interest effect on, 18(5):414–418
impact of, 18(2):153–154
proliferation of, 18(5):419–425
on reduced visit prenatal care, 18(6):555–560
Clustering, effects on referrals in primary care, 18(6):449–452
Cognitive examinations, specialty of family medicine, 18(6):546–554
Colonoscopy, in rural communities, 18(2):150–151
Colorectal cancer, family history of, 18(3):213–215
Colposcopy, evidence-based update on, 18(5):383–392
Commentary
AAFP Convocation of Practices and Network, report on, 18(4):323–325
ethical issues in family medicine, 18(1):69
lost in translation: the value of qualitative data, 18(5):409–410
Communication, doctor-patient, e-mail enhancement of, 18(3):180–188
Community service, by family physicians, 18(1):48–56
Community-oriented primary care, complementary and alternative medicine with, in Cuba, 18(4):297–303
Comorbidity, effects on referrals in primary care, 18(6):449–452
Complementary and alternative medicine, in community-oriented primary care, in Cuba, 18(4):297–303
Conflict of interest, effect on biomedical research and clinical practice guidelines, 18(5):414–418
Correspondence
colonoscopy in rural communities, 18(2):150–151
excess factor VIII and hypercoagulability, 18(4):328
fish oil vs cod liver oil: is vitamin D a reason to go back to the future?, 18(5):445–446
haste in starting therapy for depression, 18(5):445
newborn tongue-tie and breast-feeding, 18(4):326–327
postvasectomy semen analysis, 18(4):327–328
repeating failed policies will not improve outcomes, 18(2):151–152
Cuba, community-oriented primary medicine in, complementary and alternative medicine with, 18(4):297–303

Deaf culture, health care interactions with, 18(3):218–222
Decision-making capacity, in placing parent in nursing home, 18(1):57–62
Dementia, screening for, family caregiver questionnaires in, 18(4):240–256
Depression
bipolar disorder screening in, 18(4):233–239, 18(4):271–281
diagnosis and treatment of
in Jordan, 18(2):125–131
in US Hispanics, 18(4):282–296
postpartum, screening for, 18(2):104–112
in primary care
follow-up and follow-through in, 18(6):520–527
treatment of, 18(2):79–86, 18(5):445
patient nonadherence in, 18(2):87–96
Diabetes mellitus, in screening for asymptomatic peripheral arterial disease, 18(5):355–361
Diabetes mellitus type 2
basal insulin therapy for, 18(3):199–204
prevention of, 18(1):37–43
Diabetes self-care, time spent on, 18(4):262–270
Diastolic heart failure, 18(3):189–198
Diplomates, feedback on Self-Assessment Module, 18(6):574–575
Diuretics, in antihypertensive therapy, 18(2):113–124
Documentation, medical, template-guided vs undirected written, 18(6):464–469

Editorial
users' guide to *JABFP* online manuscript management system, 18(1):72–73
conflict of interest, can we minimize its influence in the biomedical literature? 18(5):411–413
E-mail, doctor-patient communication enhanced through, 18(3):180–188

Episiotomy, in low-risk vaginal deliveries, 18(1):8–12
Errata, 18(2):153–154, 18(4):333
Erythema nodosum, chronic, vitamin B12 for, 18(6):567–569
Ethical issues
effect of conflict of interest on biomedical research and clinical practice guidelines: can we trust the evidence in evidence-based medicine?, 18(5):414–418
in family medicine, 18(1):69
health care interactions with deaf culture, 18(3):218–222
on placing parent in nursing home, decision-making capacity in, 18(1):57–62
Evidence-based clinical practice
colposcopy, 18(5):383–392
conflict of interest in, 18(5):414–418
dietary calcium intake and obesity, 18(3):205–210
distinguishing between major depression and bipolar disorders, 18(4):271–281
patients with a family history of cancer: identification and management, 18(3):211–217
postvasectomy semen analysis: are men following up?, 18(1):41–47, 18(4):327–328

Factor VIII, excess
hypercoagulability and, 18(4):328
hypercoagulability from, 18(2):147–149
Family caregiver questionnaires, in dementia screening, 18(4):240–256
Family history, of cancer, patient identification and management in, 18(3):211–217
Family medicine clinic, bipolar disorder screening in, 18(4):233–239, 18(4):271–281
Family physicians
certification program for, 18(4):329–332
community service by, 18(1):48–56
feedback on Self-Assessment Module, 18(6):574–575
migraine management by, patient satisfaction with, 18(6):563–566
scope of practice, medication abortion by, 18(4):304–306
Fatty acids, Ω-3, practical applications in primary care, 18(1):28–36, 18(5):445–446
Fish oil, practical applications in primary care, 18(1):28–36, 18(5):445–446
Fluid reduction, in antihypertensive therapy, 18(2):113–124

Gastroesophageal reflux disease, managing in primary care, 18(5):393–400
Genital ulcerations, as mononucleosis presenting symptom, 18(1):67–68
Glucocorticoids, anaphylaxis induced by, 18(2):143–146
Gynecological care, sexual concerns in, race/ethnicity and, 18(3):173–179

Heart failure, diastolic, 18(3):189–198
Heart rate variability, obesity and, 18(2):97–103
Hispanics, in United States, depression diagnosis and management in, 18(4):282–296
HIV infection, Churg-Strauss syndrome associated with, 18(2):140–142
Hospital discharge, early, postpartum health care utilization and, 18(4):307–311
β-Human chorionic gonadotropin level, after first trimester loss, in molar pregnancy detection, 18(6):570–573
Human immunodeficiency virus, parents living with, psychological distress, substance use, and adjustment among, 18(5):362–373
Hypercoagulability
excess factor VIII and, 18(4):328
factor VIII excess causing, 18(2):147–149
Hypertension therapy, fluid reduction in, 18(2):113–124

Ice, abdominal, in breech pregnancy, 18(4):312–313
Immunization
of adolescents, barriers to, 18(1):13–19
of older adults
missed opportunities for, 18(1):20–27
predictors of, 18(5):426–433
Income of physicians, safety net health care and, 18(6):470–477
Influenza vaccination, of older adults
missed opportunities for, 18(1):20–27
predictors of, 18(5):426–433
Insomnia, seeking help for, by adult patients, 18(4):257–261
Insulin resistance syndrome, risk indices associated with, 18(6):491–519
Insulin therapy, for type 2 diabetes, 18(3):199–204
Intimate partner violence, heath care workers' expectations and empathy toward patients in, 18(3):159–165

Jordan, depression diagnosis and treatment in, 18(2):125–131

Klinefelter syndrome, diagnosed during oncologic evaluation, 18(2):132–139

Labeling, of bronchitis as chest cold, effect on patient satisfaction with not receiving antibiotics, 18(6):459–463

Magnetic resonance imaging (MRI), breast, 18(6):478–490
Malpractice, alleged, determining standard of care in, 18(6):453–458
Medical documentation, template-guided vs undirected written, 18(6):464–469
Menopause symptoms, natural history of, 18(5):374–382
Mental health treatment, in primary care, 18(2):79–85
patient nonadherence in, 18(2):87–96
Migraines, management by family physicians, patient satisfaction with, 18(6):563–566
Mononucleosis, genital ulcerations in, 18(1):67–68
Mood Disorder Questionnaire, in bipolar disorder screening, 18(4):233–239, 18(4):271–281

Newborn, tongue-tie, prevalence and effect on breast-feeding, 18(1):1–7, 18(4):326–327
Nursing home, placing parent in, decision-making capacity in, 18(1):57–62

Obesity
dietary calcium intake and, 18(3):205–210
heart rate variability and, 18(2):97–103
Obstetrics, advanced training in, for family practice residents, 18(3):223–228
Older adults
immunization of
missed opportunities for, 18(1):20–27
predictors of, 18(5):426–433
patient-centeredness with, accompanied encounters and, 18(5):344–354
Ù-3 fatty acids, practical applications in primary care, 18(1):28–36, 18(5):445–446
Oncologic evaluation, Klinefelter syndrome diagnosed during, 18(2):132–139

Paget-Schroetter syndrome, in young and active, 18(4):314–319
Parents, living with HIV, psychological distress, substance use, and adjustment among, 18(5):362–373
Patient satisfaction
with migraine management by family physicians, 18(6):563–566
with not receiving antibiotics, labeling of bronchitis as chest cold effect on, 18(6):459–463
Patient-centeredness, with older adults, accompanied encounters and, 18(5):344–354
Pedometers, to increase patient ambulatory activity, 18(5):335–343
Peripheral arterial disease, asymptomatic, screening for, diabetes and smoking in, 18(5):355–361

Physician income, safety net health care and, 18(6):470–477
Physician-patient interaction
e-mail enhancement of, 18(3):180–188
when elderly patients accompanied during medical visit, 18(5):344–354
Postpartum health care utilization, early discharge legislation and, 18(4):307–311
Pregnancy
breech, ice in, 18(4):312–313
ectopic, ruptured, appendicitis concurrent with, 18(1):63–66
molar, detection with β-hCG level after first trimester loss, 18(6):570–573
Prenatal care, reduced visits in, clinical practice guideline on, 18(6):555–560
Preventive health care delivery, for females, 18(5):401–408
commentary on, 18(5):409–410
Primary care physicians, MRI in breast imaging, 18(6):478–490
Prostate cancer, family history of, 18(3):215
Psychiatric crisis, primary medical care connections after, 18(3):166–172
Psychological distress, among parents with HIV, 18(5):362–373

Questionnaires
for family caregivers, in dementia screening, 18(4):240–256
on mood disorder, in bipolar disorder screening, 18(4):233–239, 18(4):271–281

Race/ethnicity, and sexual concerns of women, 18(3):173–179
Referrals, in primary care, comorbidity and clustering effects on, 18(6):449–452
Reflections in family medicine, bovine smoking cessation therapy: no bull!, 18(1):70–71
Research
biomedical, conflict of interest effect on, 18(5):414–418
translation into practice, 18(6):541–545
Residency in family practice, advanced obstetrics training in, 18(3):223–228
Risk indices, association with insulin resistance syndrome and cardiovascular disease, 18(6):491–519
Rural communities, colonoscopy in, 18(2):150–151

Safety net health care, among Wyoming physicians, 18(6):470–477
Self-Assessment Module, physicians' feedback on, 18(6):574–575
Semen analysis, postvasectomy, 18(1):44–47, 18(4):327–328
Sexual concerns, of women, race/ethnicity and, 18(3):173–179
Sleep problems, seeking help for, by adult patients, 18(4):257–261
Smoking, in screening for asymptomatic peripheral arterial disease, 18(5):355–361
Smoking cessation therapy, bovine, 18(1):70–71
Special communications
are family physicians adequately screening for postpartum depression?, 18(2):104–112
community service by North Carolina family physician, 18(1):48–56
enhanced obstetrics track for a family practice residency program: results from the first 6 years, 18(3):223–228
fluid matters in choosing antihypertensive therapy: a hypothesis that the data speak volumes, 18(2):113–124
improving female preventive health care delivery through practice change: an every woman matters study, 18(5):401–408
medication abortion and family physicians' scope of practice, 18(4):304–306
Standard of care, in alleged malpractice, 18(6):453–458
Stroke, prevention, long-term therapy for, 18(6):528–540
Substance use, among parents with HIV, 18(5):362–373

Template-guided medical documentation, undirected written vs, 18(6):464–469
Thrombosis, of upper extremity, in young and active, 18(4):314–319
Tongue-tie, in newborn, prevalence and effect on breast-feeding, 18(1):1–7, 18(4):326–327

Upper extremity, thrombosis of, in young and active, 18(4):314–319

Vaccinations. *See* Immunization
Vaginal delivery, low-risk, episiotomy in, 18(1):8–12
Vasectomy, semen analysis after, 18(1):44–47, 18(4):327–328
Vitamin B12, for chronic erythema nodosum, 18(6):567–569

Yoga, protection with, insulin resistance syndrome and cardiovascular disease, 18(6):491–519

Warthin tumor, differential diagnosis of, 18(4):320–322
Whiff test, reliability in clinical practice, 18(6):561–562
Women
preventive health care delivery for, 18(5):401–408
commentary on, 18(5):409–410
sexual concerns of, race/ethnicity and, 18(3):173–179